

## 测试报告

No. CANEC2122189602

日期: 2021年12月01日 第1页,共3页

东莞市贝特利新材料有限公司  
广东省东莞市麻涌镇麻涌大道367号

以下测试之样品是由申请者所提供及确认: 有机硅橡胶

SGS工作编号: CP21-063039 - GZ  
客户参考信息: 适用于BQ-系列  
样品接收日期: 2021年11月25日  
测试周期: 2021年11月25日 - 2021年12月01日  
测试要求: 根据客户要求测试  
测试方法: 请参见下一页  
测试结果: 请参见下一页

测试结果概要:

| 测试要求                       | 结论 |
|----------------------------|----|
| FDA 21 CFR 177.2600 — 总提取物 | 符合 |

通标标准技术服务有限公司广州分公司  
授权签名

任如花

Ivy Ren任如花  
批准签署人

scan to see the report



573A29C3



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 [www.sgs.com](http://www.sgs.com)

t (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 测试报告

No. CANEC2122189602

日期: 2021年12月01日 第2页,共3页

测试结果:

### 测试样品描述:

| 样品编号 | SGS样品ID          | 描述     | 材质<br>(客户提供) |
|------|------------------|--------|--------------|
| SN1  | CAN21-221896.001 | 无色半透明片 | 硅橡胶          |

### FDA 21 CFR 177.2600—总提取物

测试方法: 参考US FDA 21 CFR 177.2600。

| 常用模拟液 | 时间       | 温度   | 最大允许限值                  | 样品001<br>提取物总量           | 评论 |
|-------|----------|------|-------------------------|--------------------------|----|
| 蒸馏水   | 7.0hr(s) | 回流温度 | 20mg/inch <sup>2</sup>  | <0.5mg/inch <sup>2</sup> | 符合 |
| 萃取后   | 2.0hr(s) | 回流温度 | 1mg/inch <sup>2</sup>   | <0.5mg/inch <sup>2</sup> | 符合 |
| 正己烷   | 7.0hr(s) | 回流温度 | 175mg/inch <sup>2</sup> | 17.2mg/inch <sup>2</sup> | 符合 |
| 萃取后   | 2.0hr(s) | 回流温度 | 4mg/inch <sup>2</sup>   | <0.5mg/inch <sup>2</sup> | 符合 |


备注:

(1)mg/inch<sup>2</sup>=毫克/平方英寸

除非另有说明,此报告结果仅对测试的样品负责。本报告未经本公司书面许可,不可部分复制。检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的,仅供内部参考。



样品照片:



此照片仅限于随SGS正本报告使用

\*\*\* 报告完 \*\*\*

